



Wireless Charging Bag User instructions

一、Wireless charging bag list:

1. Wireless charging bag
2. Adapter
3. A hook
4. Connecting line

二、Use the steps:



① Wireless charger bag



② Connect with power



③ Put the mobile phone into the bag



④ the charging indicator will light up

三、Note

To ensure safety and normal use, please read through the safety information and the manual carefully prior to using wireless charger.

1. The mobile phone with built-in Qi standard wireless charging receiver can be directly put into the charging bag for charging, while the mobile phones that do not support wireless charge should be provided with charger receiver.
2. Keep product away from rain or water.
3. Do not modify, dismantle, throw, squeeze, puncture or crush the product.
4. Keep the product away from the environment with high-temperature or fire.
5. Keep the product away from high-voltage equipment.







四、Instruction

1. Connect both power adaptor and USB connecting wire to the wireless charging bag USB port, plug in the input port of cigar lighter. For the mobile phone fitted with built-in wireless charging receiver, it can be charged just by placing it in a wireless charging bag. For the wireless charging of SAMSUNG I9300/I9308/S4/NOTE2/NOTE3, both the built-in receiver and the protective shell with receiver from our company are available.
2. The mobile phone user who has purchased the receiver should first open the phone rear cover, tear the double-faced adhesive tape off from the back of wireless charging receiver.
3. Align the contact of receiver with the phone power contact, press the receiver against the battery, allow the rear cover in place and then charge the mobile phone.
4. For those who have purchased the protective shell with receiver, the phone could be charged just by replacing the rear cover of phone with that of the receiver.
5. The left power indicator of charging bag would remain constantly on while under the state of charge.

Technical Parameters

Model	
Wireless charging standard	Qi (WPC 1.1) Qi standard (WPC 1.1)
Input voltage of wireless charging bag	DC5V---1.5A
Port of wireless charging bag	Micro-USB Micro-USB interface input
Output voltage of receiver	DC 5V
Output current of receiver	900mA
Charging time	The same with the wired charging mode
Protection	Abnormal charge protection
Temperature	The product temperature should be less or equivalent to 40°C when ambient

6. Compatible with following brands of phones

Brand	Model#	Qi wireless charge
 三星	S3 (9300 / 9308)	Support, while S3 reciever should be provided, for which the interface had been provided by the manufacturer.
	NOTE II (7100 / 7102)	Support, while NOTE II reciever should be provided, for which the interface had been provided by the manufacturer.
	NOTE III	Support, while NOTE III reciever should be provided, for which the interface had been provided by the manufacturer.
	S4	Support, while S4 reciever should be provided, for which the interface had been provided by the manufacturer.
 诺基亚	920	Support, the built-in reciever has been provided.
	820	Support, the built-in reciever has been provided.
	950	Support, the built-in reciever has been provided.
 HTC	Droid DMA	Support, the built-in reciever has been provided.
	Rzound	Support, the built-in reciever has been provided.
	Incredible 4G LTE	Support, the built-in reciever has been provided.
Google 谷歌	Nexus 4	Support, the built-in reciever has been provided.
	Nexus 5	Support, the built-in reciever has been provided.
 LG	D1L	Support, the built-in reciever has been provided.
	LTE2	Support, the built-in reciever has been provided.
	E988	Support, the built-in reciever has been provided.
 夏普	SH-07D	Support, the built-in reciever has been provided.
	SH-04D	Support, the built-in reciever has been provided.
	SH-02D	Support, the built-in reciever has been provided.
	SH-13C	Support, the built-in reciever has been provided.
 苹果	IPHONE4/EPHONE 4S	External receiver clip should be provided.
	IPHONE 5	

五、Warranty Card

A warranty period of 12 months is provided for our products since the date of purchase.

Condition: Please present the warranty card and fill in the relevant contents, a warranty period of 12 months will be provided for CBJ-1 wireless charging bas since the date of purchase (purchasing voucher should be provided: receipt/ invoice).

Scope of warranty: our company shall not be liable for any quality problems under normal operation condition, damage caused by non-external force as well as inconvenience or loss during product maintenance due to failure to use. In principle, the products that fall within the scope of warranty are provided with service and maintenance for free while, the expense for detection or spare parts would be charged accordingly for such damage caused by human factors as well as for such beyond the warranty period.

The following conditions are not provided with free maintenance:

Artificially damaged, such as the damage arising from improper use, abnormal damage to the appearance, impact, circuit burnout, compressional deformation, inclusion of foreign body, moisture, seal on the product being torn down or altered and other visible artificial damage.

Other circumstances such as the damage caused by own reasons (arbitrarily modification, improper use, water ingress).

Damage caused by force majeure, such as earthquake, flood, fire, hurricane or war, etc.

Customer's Information:

Name:	Tel:
Address :	
Name of Product :	
Date of Purchase :	Product No.:
Description of Fault:	