Contents

| | About this Guide | About this Guide3 | | | | | |
|----------------------------|--|--|--|--|--|--|--|
| | FCC Statement | 3 | | | | | |
| Prohibition of co-location | | | | | | | |
| Important note | | | | | | | |
| | WEEE Notice | | | | | | |
| | CE Regulatory Notice | | | | | | |
| | Notes on Installation | | | | | | |
| | Battery warning | | | | | | |
| | Caution | | | | | | |
| 1 | Introduction | | | | | | |
| | 1.1 Features | | | | | | |
| | 1.2 Package Contents | | | | | | |
| | 1.3 Product Overview | | | | | | |
| | | | | | | | |
| 2 | Getting Started | | | | | | |
| | 2.1 Inserting the Memory Card | | | | | | |
| | | | | | | | |
| | 2.2 Installing in Vehicles | 12 | | | | | |
| | 2.2 motaling in vollides | 12 | | | | | |
| | 2.2.1 Mount to Windshield | 12 | | | | | |
| | 2.2.1 Mount to Windshield | 12 | | | | | |
| | 2.2.1 Mount to Windshield | 12 13 | | | | | |
| | 2.2.1 Mount to Windshield | 12 13 14 15 | | | | | |
| | 2.2.1 Mount to Windshield | 12 13 14 15 | | | | | |
| | 2.2.1 Mount to Windshield | 12 13 14 15 16 | | | | | |
| | 2.2.1 Mount to Windshield 2.2.2 Adjust the device position 2.3 'Connecting to Power 2.4 LED Indicator 2.5 Powering the Device On / Off 2.5.1 Auto Power On/Off 2.5.2 Manual Power On/Off and Reset | 12 14 15 16 16 | | | | | |
| | 2.2.1 Mount to Windshield 2.2.2 Adjust the device position 2.3 'Connecting to Power 2.4 LED Indicator 2.5 Powering the Device On / Off. 2.5.1 Auto Power On/Off. 2.5.2 Manual Power On/Off and Reset. 2.5.2.1 Manual Power On. | 12 13 14 15 16 16 | | | | | |
| | 2.2.1 Mount to Windshield 2.2.2 Adjust the device position 2.3 'Connecting to Power 2.4 LED Indicator 2.5 Powering the Device On / Off 2.5.1 Auto Power On/Off 2.5.2 Manual Power On/Off and Reset | 121314151616161616161616 | | | | | |
| | 2.2.1 Mount to Windshield 2.2.2 Adjust the device position 2.3 Connecting to Power 2.4 LED Indicator 2.5 Powering the Device On / Off. 2.5.1 Auto Power On/Off. 2.5.2 Manual Power On/Off and Reset. 2.5.2.1 Manual Power On. 2.5.2.2 Power Off. | 12 14 15 16 16 16 16 | | | | | |

| | 2.6.1 | Set Automatic Record | .17 |
|---|------------|---|-----|
| | 2.6.2 | Set the Date / Time | .17 |
| | 2.7 Applic | cation | .19 |
| | 2.7.1 | Application installation | .19 |
| | 2.7.2 | Wi-Fi connecting | 19 |
| 3 | Using th | e Car Recorder | .21 |
| | 3.1 Reco | ding Videos | .21 |
| | 3.1.1 | Record videos while driving | .21 |
| | 3.1.2 | LDWS (Lane Departure Warning Systems). | |
| | 3.1.3 | Driver Fatigue Alert | |
| | 3.1.4 | Record all other types of videos | 23 |
| | 3.1.5 | Emergency Recording | 24 |
| | 3.1.6 | The Recording Screen | 25 |
| | 3.1.7 | Taking Snapshot | 26 |
| | 3.1.8 | 4 GRID FUNCTION CHART in the LCD screen | 27 |
| | 3.2 Playir | ng Videos and Viewing Pictures | 28 |
| | 3.2.1 | Playing Videos and Emergency Recording | 28 |
| | 3.2.2 | Viewing Pictures | 29 |
| | 3.2.3 | The Playback Screen | 30 |
| | 3.2.4 | Deleting Files | 32 |
| 4 | Adjustin | g the Settings | 33 |
| | 4.1 Using | the Menu | 33 |
| | 4.2 Menu | Items | 34 |
| 5 | Installin | g the Software | 39 |
| 6 | SuperCa | ar | 40 |
| 7 | Specific | ations | 4 |
| | | | |

About this Guide

The content in this document is for information purpose and is subject to change without prior notice. We made every effort to ensure that this User Guide is accurate and complete.

However, no liability is assumed for any errors and omissions that may have occurred.

The manufacturer reserves the right to change the technical specifications without prior notice.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Recrient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Prohibition of co-location

This device and its antenna(s) must not be co-located or operated in conjunction with any other antenna or transmitter.

Important note

Radiation Exposure Statement: This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. To maintain compliance with FCC exposure compliance requirements, please follow the operating instructions as documented in this manual.

WEEE Notice

Disposal of Waste Electrical and Electronic Equipment and/or Battery by users in private households in the European Union





This symbol on the product or on the packaging indicates that this can not be disposed of as a household waste. You must dispose of your waste equipment and/or battery by handling it over to the applicable take-back scheme for the recycling of electrical and electronic equipment and/or battery. For more information about recycling of this equipment and/or battery, please contact your city office, the shop where you purchased the equipment or your household waste disposal service. The recycling of materials will help to conserve natural resources and ensure that it is recycled in a manner that protects human health and environment.

CE Regulatory Notice

Herewith confirm to comply with the requirements set out in the Council Directives on the Approximation of the Laws of the Member States relating Electromagnetic Compatibility of Radio and Telecom device (1995/5/EC); the Low Voltage Directive (2006/95/EC); the Restriction of The Use of Certain Hazardous Substances in Electrical And Electronic Equipment Directive (2002/95/EC), Turkish EEE Directive; the Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to eco-design requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment, and the Directive 2009/125/EC of the European parliament and of the council establishing a framework for the setting of eco-design requirements for energy-related products.

Notes on Installation

- This product shall be installed near the back-mirror, at the center of windshield, if possible, for optimal viewing.
- Make sure that the lens is within the wiping range of the windscreen wiper to ensure a clear view even when it rains.
- Do not touch the lens with your fingers. Finger grease may be left on the lens and will result in unclear videos or snapshots. Clean the lens on a regular basis.
- Do not install the device on a tinted window. Doing so may damage the tint film.
- Make sure that the installation position is not hindered by the tinted window.

Battery warning

- Always charge using the provided system. Improper handling of the battery may result in explosion.
- Never dismantle or pierce the battery or allow the battery to short-circuit.
- Keep the battery out of reach of children.
- Batteries may explode if exposed to naked fire. Never dispose
 of batteries in a fire.
- Disposed of used batteries observing local regulations.
 Never replace the battery on your own; have the dealer do it for you.

Caution

- Due to local laws and vehicles safety considerations, do not operate the device while driving.
- Set up time and date accurately before you use this device.
- Please use SuperCar software in condition that Google Map is function normally.
- The firmware function in the device is for reference only, please follow the actual road condition.
- The results of GPS positioning are only for reference, and should not affect the actual driving situation. The system also cannot ensure the positioning accuracy.
- GPS positioning accuracy may differ depending on weather and location such as high buildings, tunnels, undergrounds, or forests.
 - GPS satellite signals cannot pass through solid materials (except glass). Tinted window will also affect the performance of the GPS satellite reception.
- GPS reception performance on each device may differ. The system cannot determine the accuracy of the positioning results from different devices.
- The values displayed in this system, such as speed, position, and the distance warning to the speed camera set points, may be inaccurate due to the influence of surrounding environment. They are for your reference only.
- This device requires the installation of the GPS module and vehicle connector in order to use the satellite status, Time Sync., speed-detection photo prompt, user-defined speed detection spot management, user-defined speed limit prompt, lane deviation detection, driver fatigue alert etc.
- The system is used only for non-commercial use, within the maximum limits permitted by applicable law. Our company does not accept any responsibility for any data loss during the operation.
- Wi-Fi Signals are unable to pass through the building. The upper limit of signal transmission is 10m.

- Wi-Fi Operation Channels List: Ch1~Ch11.
- The product employs wireless data communication which may interfere, or be interfered by, a near-by device.
- Never use this device in the vicinity of a microwave oven or at places where there is radio interference.
- Radio wave reception may be worsened in specific environments.
- Please be advised that if another device is also using the same 2.4GHz band as this product, the processing speed of both devices may slow down.
- This product gets warm when in use; this is normal.
- Improper use or operation of the product may result in damage of the product or its accessories and void the warranty.
- The radio frequency (RF) generated by this RF electronic device may cause adverse effects on the operation of other electronic devices and result in malfunctioning. Wireless transmitters and circuitry may also interfere with other electronic devices. Therefore, do observe the following precautions:
 - Aircraft: Never use a radio transmitter when you are in an airplane. Please switch off the Wi-Fi function of the device.
 - Vehicle: The radio frequency transmitted by this device may affect the electronic system in a motorized vehicle.
 Please consult the manufacturer or dealer of your vehicle on the possible effect.
 - Pacemaker: In order to prevent any potential interference to a pacemaker, anyone who uses a pacemaker should be advised, that, when using this device, a minimum distance of 15cm (6 inch) should be kept between the device and the pacemaker; and never put this device in a chest pocket. In case of any doubt of interference, switch off the device immediately.
 - Medical Device: If you use a personal medical device, consult the device manufacturer or your physician to

- confirm if your device is sufficiently shielded from the RF transmission of this device.
- Medical Facilities: Hospitals and medical institutes may use facilities that are sensitive to an external RF energy.
 Observe such instructions when the medical care personnel or any posted sign requests you to switch off any device that may interfere the radio frequency.
- Explosion sites or any location with a posted sign: In order to prevent interfering with an explosion activity, observe all the signage and instructions in the Explosion Area or in a zone with a "Switch Off 2-way Radios" sign by switching off devices that may interfere with the radio frequency.



| | 寫号 部件名称 | 有毒有害物质或元素 | | | | | |
|----|---------|-----------|-----------|-----------|---------------|-----------|-----------------|
| 编号 | | 铅 (Pb) | 汞 (Hg) | 镉 (Cd) | 六价铬 Cr(VI) | 多溴联苯(PBB) | 多溴二苯醚 (PBDE) |
| 1 | 主机 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 电池 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 充电器 | Х | 0 | 0 | 0 | 0 | 0 |
| 4 | 支架 | Х | 0 | 0 | 0 | 0 | 0 |
| 5 | 光盘 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 线材 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 包材类 | 0 | 0 | 0 | 0 | 0 | 0 |

〇. 表示该有毒有害物质在该部件所有均质材料中的含量均在 SJ/T 11363-2006 规定的限量要求以下 X. 表示该有毒有害物质至少存在于该部件的某一均质材料中的含量超出 SJ/T 11363-2006 规定的限量要求。 注: 本产品 90%以上的部件采用无霉无害的环保材料制造,含有有毒有害物质或元素的部件皆因全球技术 发展水平限制而无法实现有毒物质吸元素的替代。

Before you start using the system, it is assumed that you agree to the above statement.

Introduction


Thank you for purchasing this advanced Car Recorder. This device is specifically designed for real time video and audio recording when driving.

Features

- HD recording videos (1920x1080@30fps 1280x720@60fps)
- 2.7" LCD color touch screen
- Wide angle lens
- Multifunction traffic safety reminder
- Automatic Emergency recording for collision detection
- Supports SDHC up to 32GB

Package Contents


The package contains the following items. In case there is any missing or damaged item, contact your dealer immediately.




1.3 Product Overview


Top and Bottom Views

Side (Left and Right) Views





Rear View



| No. | Item |
|-------------------------|------------------|
| 1 | Memory Card Slot |
| 2 Power Switch | |
| 3 Bracket Socket | |
| 4 LED Indicator | |
| 5 USB / Power Connector | |
| 6 GPS Antenna | |

| No. | Item |
|-----|--------------------|
| 7 | Wide Angle Lens |
| 8 | Wi-Fi Transmission |
| 9 | Speaker |
| 10 | Microphone |
| 11 | LCD Touch Panel |

2 Getting Started

2.1 Inserting the Memory Card

Insert memory card with the gold section facing upward and the screen of the device facing upward too, as illustrated. Push the memory card in until a click sound is heard, indicating the card is in position.



To remove the memory card

Push to eject the memory card out of the slot.


Note:

- Do not remove or insert the memory card when the device is turned on. This
 may damage the memory card.
- 2. Please use a Class 6 or higher rating Micro SD card, max up to 32GB.
- 3. Please format the micro SD cards before the initial use.
- 4. When removing the memory card, be careful that the card may spring out and get lost. The memory slot has this spring-out feature for easy removal of the card.


2.2 Installing in Vehicles

2.2.1 Mount to Windshield

 Push the bracket into bracket slot on top of device, until a click sound is heard.




- With the suction-cup laying flat, position the suction-cup on the windshield.
- Hold the base firmly on the windshield and press down the clamp to mount the car holder to the windshield. Make sure the base is securely locked in place.




2.2.2 Adjust the device position

Loose the knob to swivel the device vertically.



 Loose the knob to swivel the device horizontally up to 360°.




Then tighten the knob to make sure the device is securely locked in place.


2.3 Connecting to Power

Use only the attached power connector for activating the device and charging the built-in battery.

 Connect one end of power connector to USB/Power connector port on the device.



Plug the other end of the car adapter to the cigarette lighter socket of your vehicle. Once the vehicle engine is started, the device automatically turns on.



Note:

This product shall be installed near the back-mirror, at the center of windshield, if possible, for optimal viewing.

Battery Status Indicator:

| Icon | Description | | |
|--|-----------------------|--|--|
| | Full battery power. | | |
| | 2/3 battery power. | | |
| 1/3 battery power. | | | |
| | Out of battery power. | | |
| | Battery is charging. | | |
| Connect the car adapter to charge the battery is full charged. | | | |

Note:

Please take note if the environment temperature reaches 45°C or above, the car adapter still can supply power to device, but it will not charge the Lithium-ion battery. This is the characteristic of Lithium-ion and is not a malfunction.

2.4 LED Indicator

| Status Explanation | LED Indicator Color |
|-------------------------------------|---------------------|
| Power off, battery charging | Red |
| Power off, battery full charged | LED light off. |
| Power on, battery charging | Green |
| Power on, battery full charged | Green |
| Standby / Standby and screen off | Flash red |
| Recording/ Recording and screen off | Flash red |

2.5 Powering the Device On / Off


2.5.1 Auto Power On/Off

Once the vehicle engine is started, the device automatically turns on. If the **Automatic Record** function is enabled, the recording will automatically start right after the device turns on. Please refer to **Set Automatic Record** (2.6.1).

2.5.2 Manual Power On/Off and Reset

2.5.2.1 Manual Power On

Push the **power switch** and make sure that the power switch locks on the memory card slot.



2.5.2.2 Power Off

Push the **power switch** and make sure that the memory slot is released and the device starts power off sequence. Do not power on the device when it is in the power-off sequence, or the recorded file may become corrupt.



2.5.2.3 Reset the device

In case the device fails to function normally due to unknown causes, push the **power switch** and verify the memory card is in the removable state; wait for 7 seconds and push the power switch again to restart the device.

2.6 Initial Settings

Before using the device, we recommend you to enable the **Automatic Record** function and set up the correct **Date and Time**.

2.6.1 Set Automatic Record

Default setting of Automatic Record is Enabled. The device will automatically start recording when powered on. In case Automatic Record is disabled, enable it by the following steps:

- 1. Touch to enter Main Menu.
- 2. Touch to switchover to Record Main Menu.
- 3. Touch /> to select for entering Automatic Record function menu; touch again to select ON.
- 4. Touch to return to Record screen.



2.6.2 Set the Date / Time

To set the correct date and time, do the following:

- 1. Touch to enter Main Menu.
- 2. In System main menu, touch to select for Set Timezone menu, touch to set the current time zone; then touch

complete setting.



17



Time menu. Touch to select value; touch select previous or next field; confirm by touching complete setting.





Note:

- If Time Sync. is on, device clock will be calibrated via satellite clock signal based on Set Timezone. Please refer to Time Sync. (4.2)
- If satellite positioning is not successful, device clock will run based on user defined time.
- 3. Please be aware that touching during the recording process will stop the recording process and enter into main menu. Please make sure the recording can be stopped before operating menu selections.

Application

The camera allows you to connect to the mobile devices via the App. When using for the first time, install the Life Cam App for your mobile device.

2.7.1 Application installation

Search from Android Market or App Store for Life Cam application.



Install the App.

APP Layout and Features may be changed subject to different software versions. Please refer to Android Market or APP Store for update.

2.7.2 Wi-Fi connecting (This function is optional, some products do not include this function.)

- Touch to enter Main Menu.
- Touch to switch over to System Main Menu.
- menu; wait for screen to display device ID and Wi-Fi password.
- Using Wi-Fi function of a mobile device, search for device ID from the list and select and enter Wi-Fi Password.

For iOS Users:

Using the mobile device [Settings] → [Wi-Fi] → [Select device ID no.: X5XXXXXX]→ [Enter the password]→[Connecting]



19

For Android Users:

Using the mobile device [Settings] → [Wi-Fi] → [Select device ID no.:X5XXXXXX] → [Enter the password] → [Connecting] Display of "Wi-Fi connection ready!" on the device screen indicates that the device has linked up with your mobile device.

Execute the Life Cam



To disconnect Wi-Fi link, just exit Life Cam



Note:

- 1. Make sure the Wi-Fi function of the equipment is activated and the mobile device is receiving Wi-Fi signal before executing the Life Cam App, or the App will be exited.
- 2. The mobile device shall be within a maximum of a 10m distance from the equipment without any buildings in between.
- 3. When the Wi-Fi function of the equipment is activated for 3 minutes without connecting with your mobile device, or the connection is disconnected, the equipment will automatically stop the Wi-Fi function and you will need to re-activate the Wi-Fi function.
- 4. We suggest that you should set the correct date and time for your mobile device before using the equipment, so that the recorded video will be consistent with the date and time settings of the mobile device.
- 5. When linking up with a mobile device, touch-control of device screen is no longer effective. Perform operations via the Life Cam Application. For operating the device again, you need to exit the Life Cam Application first.
- 6. The language of the Life Cam App will be consistent with that of your mobile device, it shall be the default language if it is not the built-in one.

3 Using the Car Recorder

3.1 Recording Videos

3.1.1 Record videos while driving

When the vehicle engine starts up and the **Automatic Record** function is enabled, the device automatically turns on and starts recording.

Recording will automatically stop when the engine is switched off, or touch to stop recording manually.

Note:

On some cars, the recording will continue when the engine is switched off. If this happens, please manually turn off the cigarette lighter or remove the car adapter from the cigarette lighter.

3.1.2 LDWS (Lane Departure Warning Systems)

When **LDWS** is enabled after satellite positioning, device will give a voice alert and display an alarm screen if vehicle speed reaches or exceeds 50 km/h (31 mile/h) and the vehicle deviates from the original lane.

To set the LDWS (Lane Departure Warning Systems), do the following:

- 1. Touch to enter Main Menu.
- 2. Touch to switchover to Driving Safety Main Menu.
- 3. Touch to select for entering LDWS function menu, then touch again to enable the function (on).





21

- 4. Touch to return to record screen.
- 5. After enabling LDWS, screen displays LDWS calibration diagram

 If satellite positioning is on, device will give a voice alert and an alarm screen if vehicle speed reaches or exceeds 50 km/h (31 mile/h) and the vehicle deviates from the original lane.





Note:

LDWS is only applicable when satellite positioning is in ready state. Make sure satellite positioning of your device is ready if you want to activate this function.

3.1.3 Driver Fatigue Alert

When **Driver Fatigue Alert** is enabled, a voice alert and a warning screen will be activated 1 hour after the device is powered on, with a repetition at every subsequent 30 minutes.

To set the driver fatigue alert, do the following:

- 1. Touch to enter main menu.
- 2. Touch to switch over to Driving Safety Main Menu.
- 3. Touch to select for entering Driver Fatigue Alert

 menu, touch again to activate

 (on).
- 4. Touch to return to record screen.





3.1.4 Record all other types of videos

- 1. Touch to start recording.
- 2. Touch again, to halt the recording.

Note:

- 1. It can be configured to save a video file for every 3 or 5 minutes of recording. Please refer to *Video Duration* (4.2).
- The device saves the recording in the memory card. If the memory card capacity is full, the oldest file in the memory card is overwritten.

3.1.5 Emergency Recording

During video recording, touch

to enter emergency recording mode, the "Emergency" message will be shown immediately on the lower left corner of the screen, and the recorded file will be protected.




2. Touch again, to halt the recording.

Note:

- If the Collision Detection function is enabled and a collision is detected, the device will automatically trigger the emergency recording. Please refer to Collision Detection (4.2).
- 2. The emergency recording file is created as a new file, which will be protected to avoid being overwritten by normal cycling recording. 4G memory card can save up to 5 emergency video files, and 8G (or above) memory card can save up to 10 emergency video files. The alert message of "Emergency files are fulf" will pop up on the screen when the emergency recording files are full, and the oldest emergency file will be automatically deleted when a new emergency recording file is created.

3.1.6 The Recording Screen



| No. | Icon | ltem | Description |
|-----|----------------------------------|--|--|
| 1 | • | Recording Icon | Indicates the recording status. |
| 2 | 2014/01/01 12:00:00 | Date / Time | Indicates the current recording date and time. |
| 3 | E MANAGE E MANAGE E MANAGE | Menu | Touch to enter the main menu. |
| 4 | O | Taking Snapshot | While recording, touch to take a photo. |
| 5 | 00:00:10 | Recording Duration | Indicates the video current duration. |
| 6 | ** | Satellite positioning icon | The icon appears on the screen when satellite positioning of the device is ready. |
| 7 | | Battery | Indicates the remaining battery power. |
| 8 | 氐 | 4 GRID FUNCTION CHART in the LCD screen | Touch to enter the 4 GRID FUNCTION CHART in the LCD screen. Please refer to 4 GRID FUNCTION CHART in the LCD screen (3.1.8). |

| 9 | | Reset of date / time Prompt | Remind the user to reset the Date / Time before start to use the device. Please refer to Set the Date / Time (2.6.2) |
|----|---------|-----------------------------------|---|
| 10 | 路 | Recording | Touch to start recording, touch again to halt the recording. |
| 11 | \land | Emergency Recording | to enter emergency recording mode. Please refer to <i>Emergency Recording</i> (3.1.5). |

3.1.7 Taking Snapshot

You can also use this device to take snapshots of the current scene.


- 1. Press in recording mode to take a snapshot.
- 2. A snapshot is taken when this icon appears at center of screen.



3.1.8 4 GRID FUNCTION CHART in the LCD screen

when you are recording, then you can see the 4 GRID FUNCTION CHART in the LCD screen.

Touch any point of the screen to return to Record Screen.



| No. | Item |
|-----|---------------|
| 1 | Driving Speed |
| 2 | Time |

| No. | Item |
|-----|---|
| 3 | Driving direction |
| 4 | Distance warning to the speed camera set points |

Note:

Driving Speed, Driving Direction and Distance warning to the speed camera set points are only applicable when satellite positioning of the device is ready; otherwise, they will be displayed in gray scale only.

3.2 Playing Videos and Viewing Pictures

3.2.1 Playing Videos and Emergency Recording

Playback video record files as follows:

- to enter main menu.
- to switch over to File / Position menu.
- to enter Video/ Emergency function menu.





required video file, touch selected preview of video to enter Playback Mode



Touch repetitively to return to Record Screen.

3.2.2 Viewing Pictures

View pictures as follows:

- 1. Touch to enter Main Menu.
- 2. Touch to switch over to File / Position main menu.
- 3. Touch to enter **Picture** function menu.



4. Touch to browse for required picture files, touch selected preview of picture to enter Picture Playback Mode.




5. Touch repetitively to return Record Screen.

3.2.3 The Playback Screen

Video Playback Screen

Picture Playback Screen





| No. | Icon | Item | Description |
|-----|------------------------|--|--|
| 1 | 20140101 00001.WOV | File Name | Indicates name of current video or picture file. |
| 2 | 00:00:01// 00:00:10 | Current Duration / Video Duration | Indicates time code and duration of current video file. |
| 3 | = | Menu | Touch to enter File Deletion menu. |
| 4 | | Fast Rewind / Previous File | Touch in video playback mode will reverse the playback. Touch when video or picture is not in playback will switch over to the previous file. |
| 5 | v | Return | Touch to return to preview screen of video or picture. Touch repetitively to return to record screen. |
| 6 | N | Fast forward / Next File | Touch in video playback mode will enable fast forward |

29

| No. | Icon | Item | Description |
|-----|------|--------------------|--|
| | | | playing of video. Touch when video or picture is not in playback will switch over to the next file. |
| 7 | | Playback/ Pause | Touch /II to play or pause the video. |

3.2.4 Deleting Files

To delete file(s), do the following:

- 1. Touch to enter Main Menu.
- 2. Touch to switch over to File / Position main menu.
- 3. Touch to enter Video/Picture/Emergency menu.
- 4. Touch to browse for required video or picture file; touch selected preview image to enter Video/Picture Playback Mode.
- 5. Touch to enter **File Deletion** menu, select to delete one file or all files; touch the selection.



| Item | Description |
|------------|--------------------------|
| Delete One | Delete the current file. |
| Delete All | Delete all files. |

6. Touch repetitively to return to Record Screen.

Note:

Deleted files cannot be recovered. Ensure the files have backup before deletion.

4 Adjusting the Settings

4.1 Using the Menu

You can customize the general settings via the on-screen display (OSD) menus.





- 1. Touch in the record mode will stop the record and enter into Main Menu.
- 2. Touch switch over main menus.
- 3. Touch to browse for function items in the respective main menu; touch a function icon to enter setting screen.
- On completion of setting a required function item, device will return automatically to the main menu of the selected function.
- 5. Touch to return to Record Screen.

4.2 Menu Items

Refer to the below table for details of main menu and function list.

| Main Menu | Fur | nction List | Description | Available Option |
|--------------|------------|----------------------|--|--|
| | are are | Date / Time | Set the date and time. | |
| | @ | Set Timezone | Set the time zone you are in. | UTC -12:00 ~ UTC +12:00 |
| | ð"* | Time Sync. | When enabled, device clock will be calibrated automatically based on satellite clock of the set time zone on completion of satellite positioning. | On / Off |
| | | Веер | Enable/Disable the beep. | On / Off |
| System | ENG | Language settings | Set the on-screen display menu language. | English / 繁體中文 / 简体中文 / Русский / Español / Deutsch / Français / Português / Italiano / Japanese Arabic |
| | KM | Distance Unit | Select the unit for distance display. | KM / MILE |
| | ₹CD | LCD setting | Set LCD off time. Device screen will be off after a set time if no operation is detected during the standby or record mode. Touch any point of the touch screen will switch it on. (Recording is not affected when screen is off). | On / Off After 30 sec / Off After 3 min. |
| | ** | Wi-Fi | Set Wi-Fi linkage of a mobile device. | |

| Main Menu | Fu | nction List | Description | Available Option |
|--------------------|-------------|---------------------|---|------------------|
| | ₽ ® | Satellite System | Select satellite system of the locality. | GPS / GLONASS |
| | | Recorder Format | Format the memory card inserted in the equipment. All the files in the card will be erased. | Yes / No |
| | C | Default Setting | Resume the equipment to its default setting. | Yes / No |
| , | | Firmware | Indicates the current Firmware. | ing i |
| | EFE . | Video | Play / Delete a video file. | |
| | N. | Picture | Play / delete a picture file. | 7 5 |
| • | \triangle | Emergency | Play / delete an emergency record file. | |
| File / Position | [ق] | Add speed point | Manually add speed points after satellite positioning, up to 200 user defined speed points can be added. | 29 1 |
| | ٠ | Delete speed point | Delete all the user defined speed points from system. | |
| Driving Safety | | LDWS | When LDWS is enabled after satellite positioning, device will give a voice alert and an alarm screen if vehicle speed reaches or exceeds 50 km/h (31 mile/h) and the vehicle deviates from the original lane. | On / Off |
| | 7.6 | FCWS | When FCWS is activated after satellite | On / Off |

| Main Menu | Function List | Description | Available Option |
|--------------|----------------------|--|------------------------------|
| | | positioning, device will issue a voice alert and an alarm image when vehicle speed is above 50 km/h (31 mile/h) and the distance with the front vehicle is less than 20m. | |
| | Front Vehicle Go | When Front Vehicle Go is activated after satellite positioning, device will issue a voice alert and an alarm image when vehicle speed is below 50 km/h (12.4 mile/h) and the distance with the front vehicle is more than 20m. | On / Off |
| | — Headlight | When Headlight is activated, device will issue a voice alert and an alarm screen remindling that insufficient brightness is sensed on the recording face. | On / Off |
| | Speed Cam Alert | When a vehicle approaches a speed detection camera, the device will issue a voice alert and an alarm screen for reminding. | On / Off |
| | Speed Limit Alert | User defined speed limit. Device will issue a voice alert when vehicle speed exceeds the setting value. | Off / 140 km/h ~ 200 km/h |

| Main Menu | Fui | nction List | Description | Available Option |
|--------------|-----|-------------------------|--|---|
| | *2° | Driver Fatigue Alert | When Driver Fatigue Alert is enabled, a voice alert and a warning screen will be activated 1 hour after the device is powered on, with a repetition every subsequent 30 minutes. | On / Off |
| | *** | Motion Detection | If Motion Detection is activated, when the device is powered on, a message "Wait for 10 seconds to enter Motion Detection or touch the screen to power off" will be displayed on the screen. This means the system will enter Motion Detection automatically in 10 seconds; when the device detects any motion in front of lens, Video Record will be activated for a duration the same as the length setting. | On / Off |
| | | Collision Detection | The Device will automatically trigger emergency recording when tremor of a collision is detected. | High Sensitivity / Normal Sensitivity / Low Sensitivity / Off |
| | | ACC/DEC Alert | If Speed Accelerate/ Decelerate Alert is activated after satellite positioning, device will issue a voice alert and display an alarm screen when vehicle speeds up | On / Off |

| Main Menu | Function List | | Description | Available Option |
|--------------|----------------|---------------------|--|---|
| | | | above 70 km/h (43.5 mile/h) and accelerates 30 km/h (18.6 mile/h) in 5 seconds, or speeds up above 50 km/h (31 mile/h) and decelerates 20 km/h (12.4 mile/h) in 5 seconds. | |
| | 1080P 30fps | Resolution | Setting of video resolution. | FHD (1080P/30fps) / HD30 (720P/30fps) / HD60 (720P/60fps) |
| | EV± | EV | Set the exposure compensation. | +2.0 ~ -2.0 |
| ٤, ١ | AUTO | Automatic Record | Setting for enabling Automatic Record after device power on. | On / Off |
| Record | | Video Duration | Save respective video files in a length of the selected duration. | 3 min. / 5 min. |
| | • | Voice Record | Setting for activating audio in the video. | On / Off |
| | Time | Time Stamp | Setting for the indication of date and time stamp on the picture or video recorded. | On / Off |

5 Installing the Software


- 1. Place the attached CD ROM into the CD player.
- 2. If the CD does not execute automatically, please use Windows File Manager to execute the **Install_CD.exe** file in the CD.

The following screen will be shown up.



3. Press the [Menu] item to start the installation process according to the instructions on-screen.

6 SuperCar



| No. | Item | |
|-----|--------------|--|
| 1 | Video Player | |
| 2 | Play / Pause | |
| 3 | Previous | |
| 4 | Next | |
| 5 | Stop | |
| 6 | Google Map | |
| 7 | Compass | |
| 8 | Speed Meter | |

| No. | Item | |
|-----|--------------------------------------|--|
| 9 | File Path | |
| 10 | Browser File | |
| 11 | File List | |
| 12 | File Name | |
| 13 | Volume | |
| 14 | Current Duration / Total Duration | |
| 15 | Signal Noise Ratio (SNR) | |
| 16 | G-Sensor | |

Note:

- To display the route on Google Maps, please make sure the internet is connected before starting the video playback
- 2. Video files (MOV / TS) and GPS/G-Sensor files (NMEA) must be stored in the same folder before starting the playback.
- 3. The SuperCar software is only applicable to a Windows operating system.

7 Specifications

| Item | Description | | |
|------------------|---|--|--|
| Image sensor | 1/2.7" CMOS sensor | | |
| Effective pixels | 1920 (H) x 1080 (V) | | |
| Storage media | Support Micro SDHC Class 6, max up to 32GB | | |
| LCD display | 2.7" LCD color TFT touch screen | | |
| Lens | Wide Angle Fixed Focus lens F2.4, f=3.8mm | | |
| Focus range | 1.5m~Infinity | | |
| Satellite System | ystem GPS / GLONASS (Satellite Positioning feature varied depending on the model) | | |
| Wi-Fi | 802.11 b/g/n (The wireless network feature varies depending on the model) | | |
| Movie Clip | Resolution: FHD (1080P/30fps); HD30 (720P/30fps); HD60 (720P/60fps) | | |
| mette sup | Format: MOV | | |
| Still image | Resolution: 2M (1920 x 1080) | | |
| (Snapshot) | Format: JPEG | | |
| Shutter | Electronic shutter Auto:1/2 ~1/2000 sec. | | |
| G-Sensor | 3-Axis G-Force sensor | | |
| ISO | Auto | | |
| White Balance | Auto | | |
| Microphone | Yes | | |

| Item | Description | | |
|--|---|--|--|
| Speaker | Yes | | |
| Speaker | Yes | | |
| Interface | Mini USB | | |
| Battery | Built-in 470mAh Li-polymer rechargeable | | |
| Operating Temperature | 0° ~ 50° C | | |
| Operating Humidity | 20 ~ 70% RH | | |
| Storage Temperature | -20° ~ 80° C | | |
| Dimensions | 80 x 30.3 x 51.2 mm | | |
| Weight Approx. 82g (without memory card) | | | |

Built-in IEEE 802.11n Wi-Fi module: WN7911B-WM

| Frequency range | 2412~2462MHz |
|-----------------|--------------|
| Channel List | Ch1~Ch11 |