

PRODUCTS DESCRIPTION

1. Using a cree xlm-t6 lights and two single xm l t6 lamp,highest the brightness of 1800 Lumens,life 100,000 hour!
2. Intelligent control circuits,three gears light circuit
A:both xm l t6 the lamp,current output 1.1A,the brightness of 400LM;
Second:middle XML-T6 the lamp,current output 0.6A,the brightness of 1000 LM;
Three gears:three lamp,with light output current 1.8A,brightness as high as 1400 LM.
3. Switch power indicator light explains:
The red light for a second flash.Ssys6.1v voltage,said in the following,the battery will
Have no electricity in time,please charge;
Yellow lights up,says voltage in 6.8V-between 7.6V,halt power;
Green lights up,says voltage in 7.6V-between 8.25V,power between adequate;
Blue lights up,says voltage than 8.25V,full power.
4. Vacuum plating mirror reflecticve,high temperature resistant,percent fall off,the
Effect is perfect.
5. Csse used 6063# aluminum,CNC machining,anodic oxidation surface treatment.
6. Use 4*18650 battery,capacity;4400mAh,voltage:8.4V,work continuously 3 to 4 hours.
7. Features:A.Fixed in on the bike,as a lamp use;
B.Elastic deck,suitable for carious types of bicycles,easy to remove the
replacement.
8. Note:a.charging put in safe place.
b.Do not remove the battery,will affect the product performance and dangerous

ATTENTION:

High-brightness LED flashlight bright flashlight.In cngtinuous operation will
Generate a lot of heat.To ensure the safe use carefully read the operating manual
And the following warning and suggestions

1. Do not turn the torch on the place unattended.
2. Do not gice children to play or use a flashlight.
3. Do not let the torch's glasses direct sunlight.
4. Do not use the direct without the protection of rechargeable lithium batteries
5. For a long time when storge or transportation of the torch,remove the battery.
6. Use a soft cloth to clean every six months torch thread ,and use silicome oil lubrication of threads.
7. Do not use the oil from the petroleum refining exposure to water O ring will cause water damage